AM. J. DRUG ALCOHOL ABUSE, 26(4), pp. 709–717 (2000)

Index to Volume 26

A

Abortion, and subsequent substance abuse, 61–75
Abstinence, from illicit drug use in methadone-maintained patients, influence of coping and depression on, 399–416
Abstinence acceptance, and the addicted-self model, 497–521
Addicted-Self Model, of cessation of alcohol- and drug-dependent behavior, 497–521
Addiction treatment unit, survey of hepatitis B and C in, 703–707
Adolescents
  minority, combinational use of alcohol and illicit drugs among, 311–324
  relationship of Card Perseveration Task performance and post-task feeling state to drug use in, 325–333
  risk taking and self-reported injuries associated with substance use by, 113–123
  and tobacco use in West Virginia, 125–138
  trends in inhalant use among, 569–590
African-American men, in treatment for cocaine dependence, racial identity in, 97–112
Alcohol
  combined with illicit drugs, use among minority adolescents, 311–324
  and concern-related stimuli, alcohol abusers' and nonabusers' distraction by, 489–495
  problems, emergency room performance of screening instruments for, 683–702
  spontaneous remission from abuse of, 443–460
  withdrawal, divalproex treatment of, 155–160
Amodeo, M., 629–641
Anger management group treatment, for cocaine dependence, 161–177
Anthony, J. C., 335–342
Antiretroviral therapy, adherence among HIV-infected methadone patients, 195–205
Anxiety levels, relationship with outcome of cocaine abuse treatment, 179–194
ARISE method, for mobilizing family and network to engage substance abusers in treatment, 379–398
Atkinson, J. S., 355–367
Avants, S. K., 399–416

B

Baciewicz, G., 379–398
Barnes, G. M., 311–324
Barnett, P. G., 429–442
Behavioral responses, to cocaine, effects of lamotrigine on, 47–59
Binge drinking, among college students, 139–154
Bipolar disorder
  associated with substance use disorders, the use of collateral reports for patients with, 369–378
  detection among treatment-seeking substance abusers, 13–23
Bland, I. J., 97–112
Blount, J. P., 489–495
Boedicker, A. E., 523–535
Borges, G., 683–702
Brady, K. T., 155–160
Bray, J. W., 77–95
Brinkman-Sull, D., 379–398
Brook, D. W., 263–281
Brook, J. S., 263–281
Brown, S., 591–602
Bryant, R. R., 659–682
Burke, W. M., 703–707

C

Calsyn, D. A., 297–309
Card Perseveration Task performance and post-task feeling state, relationship to drug use in adolescents, 325–333
Cardiovascular responses, to cocaine, effects of lamotrigine on, 47–59
Caseloads, of social workers of substance-abusing clients, 629–641
Chen, M.-H., 195–205
Cherpitel, C. J., 683–702
Clapp, J. D., 139–154
Clarke, J., 195–205
Cocaine
  abuse treatment outcome, relationship with anxiety levels, 179–194
  dependence
    anger management group treatment for, 161–177
    racial identity in African-American men in treatment for, 97–112
  effects of lamotrigine on behavioral and cardiovascular responses to, 47–59
  oral, sex differences in self-reported and physiological response to, 643–657
  smoked, individual differences in subjective response to, 591–602
Cocaine abusers, with depressive disorders, venlafaxine treatment of, 25–31
Cognitive bias, of alcohol abusers and nonabusers to distraction by alcohol and concern-related stimuli, 489–495
Colby, S. M., 179–194
Collateral reports, use for patients with bipolar and substance use disorders, 369–378
College students, binge drinking among, 139–154
Combinational use, of alcohol and illicit drugs among minority adolescents, 311–324
Community engagement and helpfulness, enhancement in drug abuse treatment in criminal justice settings, 537–552

Comorbidity
of cocaine abuse and depressive disorders, 25–31
of schizophrenia and substance use, 343–353
of substance abuse and bipolar disorder, 13–23
Competency, self-ratings for social workers of substance-abusing clients, 629–641
Contexts of use, of alcohol among college students, 139–154
Copenhaver, M. M., 603–628
Coping, influence on abstinence from illicit drug use in methadone-maintained patients, 399–416
Cottler, L., 283–296
Cox, W. M., 489–495
Criminal justice settings, drug abuse treatment in, 537–552
Czuchry, M., 537–552

D

Dansereau, D. F., 537–552
De Leon, G., 33–46, 461–480
Delva, J., 335–342
Dennis, M., 283–296
Dennis, M. L., 77–95
Dependence symptoms, and labor market outcomes, 77–95
Depression, influence on abstinence from illicit drug use in methadone-maintained patients, 399–416
Depressive disorders, venlafaxine treatment of cocaine abusers with, 25–31
Desmond, D. P., 247–261
Dhopesh, V. P., 703–707
Dino, G. A., 125–138
Dintcheff, B. A., 311–324
Divalproex, in the treatment of alcohol withdrawal, 155–160
Drug treatment needs, on entering prison, 229–245
Dual diagnosis, of schizophrenia and substance use, 343–353
Dudish-Poulsen, S., 591–602

E

Eaton, C. A., 179–194
Economics, the effect of drug use on, 659–682
Emergency room, the performance of screening instruments for alcohol problems in, 683–702
Employment, and substance use, 355–367
Environmental risk factor exposure, and parenting attitudes of substance-abusing women, 1–11
Epidemiology, of drug use among welfare recipients, 335–342
Expectancies, and the Addicted-Self Model, 497–521

F

Family, use of the ARISE method for mobilizing to engage substance abusers in treatment, 379–398
Fassler, I., 629–641
Females. *See* Women
Fendrich, M., 569–590
Fiorentine, R., 497–521
Fleming, C., 297–309
Foisie, C. K., 481–487
Foulks, E. F., 97–112

French, M. T., 77–95
Fucito, L. M., 369–378
Furr, C. D. M., 335–342

G

Gao, X., 125–138
Garrett, J., 379–398
Gender
  among clients in shelter-based therapeutic communities, 553–567
  and differences in self-reported and physiological response to oral cocaine and placebo, 643–657
  in out-of-treatment drug users, 283–296
  relation to course, severity, and treatment of substance use, 523–535
  See also Men; Women
Greenfield, S. F., 369–378
Griffin, M. L., 369–378
Group treatment, anger management, for cocaine dependence, 161–177

H

Haigler, E., 325–333
Hameedi, F. A., 47–59
Hartung, C., 325–333
Hatsukami, D. K., 591–602
Hawke, J., 553–567
Hepatitis B and C, in an addiction treatment unit, 703–707
Hillhouse, M. P., 497–521
HIV-infected methadone patients, adherence to antiretroviral therapy, 195–205
Hoffman, J., 283–296
Hoffman, J. H., 311–324
Homeless mentally ill chemical abusers, treatment outcomes for a modified therapeutic community for, 461–480
Homelessness
  among clients in shelter-based therapeutic communities, 553–567
  in out-of-treatment drug users, 283–296
Horn, K. A., 125–138
Hu, P., 195–205

I

Inciardi, J., 283–296
Inhalant use, trends among high school students in Illinois, 569–590
Injecting drug users
  factors predicting entry into substance abuse treatment, 247–261
  female, needle sharing of, 263–281
  and hepatitis B and C in an addiction treatment unit, 703–707
Injuries, associated with adolescent risk taking and substance use, 113–123
Intimate abusiveness, among substance-dependent males, testing a social-cognitive model of, 603–628

J

Jainchill, N., 553–567
Jatlow, P. I., 47–59
Jelalian, E., 113–123

K

Kamal-Bahl, S., 125–138
Kelly, T., 325–333
Kettinger, L. A., 1–11
Kippers, S. M., 417–428
Kivlahan, D., 13–23
Kosten, T. R., 47–59, 643–657
Kressel, D., 33–46

L

Labor force, and substance use, 355–367
Labor market outcomes, and symptoms of dependence and multiple substance use, 77–95
Lamotrigine, effects on behavioral and cardiovascular responses to cocaine, 47–59
Landau, J., 379–398
Laws, for syringe possession, correlation of high street prices with strictness of, 481–487
Leukefeld, C., 283–296, 325–333
Levin, F. R., 25–31
Lo, C. C., 229–245
Logan, T. K., 283–296

M

Mackesy-Amiti, M. E., 569–590
Maksad, J., 195–205
Malcolm, R., 155–160
Males. *See* Men
Mance, R., 343–353
Margolin, A., 399–416
Martin, C. A., 325–333
Martin, R., 179–194
Masci, J. R., 263–281
McCance-Katz, E. F., 47–59, 643–657
McDowell, D. M., 25–31
McKendrick, K., 461–480
McKenzie, M., 481–487
Melnick, G., 33–46
Men
  African-American, racial identity when in treatment for cocaine dependence, 97–112
  substance dependent, testing of a social-cognitive model of intimate abusiveness among, 603–628
  versus women regarding course, severity, and treatment of substance abuse, 523–535
Mentally ill chemical abusers, homeless, treatment outcomes for a modified therapeutic community for, 461–480
Messina, N., 207–227
Methadone maintenance treatment, changes in Millon Clinical Multiaxial Inventory scores among opiate addicts as a function of retention in, 297–309
Methadone patients
  HIV infected, adherence to antiretroviral therapy, 195–205
  the influence of coping and depression on abstinence from illicit drug use in, 399–416
Miller, A. H., 343–353
Millon Clinical Multiaxial Inventory scores, changes among opiate addicts as a function of retention in methadone maintenance treatment and recent drug use, 297–309
Minority adolescents, trends in combinational use of alcohol and illicit drugs among, 311–324
Monti, P. M., 179–194

Montoya, I. D., 355–367
Multiple substance use, and labor market outcomes, 77–95
Multivariate analysis, national, of differences between public and private substance abuse treatment programs, 429–442
Myrick, H., 155–160

N

Nair, P., 1–11
Najavits, L. M., 369–378
National multivariate analysis, of differences between public and private substance abuse treatment programs, 429–442
Needle sharing, of female injection drug users, 263–281
Nemes, S., 207–227
Network, use of the ARISE method for mobilizing to engage substance abusers in treatment, 379–398
Neumark, Y. D., 335–342
Ney, P. G., 61–75
Nunes, E. V., 25–31

O

O'Leary, T. A., 179–194
Oliveto, A., 643–657
Opiate addicts, changes in Millon Clinical Multiaxial Inventory scores among, 297–309
Out-of-treatment drug users, homelessness and gender in, 283–296
Outpatient programs for substance use disorders, intensive, retention predictors related to, 417–428

P

Parenting, of substance-abusing women, and exposure to environmental risk factors, 1–11
Pearsall, H. R., 47–59
Peña, J. M., 97–112
Petrakis, I., 643–657
Prison, treatment needs on entering, 229–245
Prison-based therapeutic community, motivation for treatment in, 33–46
Private substance abuse treatment programs, national multivariate analysis of differences from public substance abuse treatment programs, 429–442
Psychopathology, among clients in shelter-based therapeutic communities, 553–567
Public substance abuse treatment programs, national multivariate analysis of differences from private substance abuse treatment programs, 429–442

R

Racial identity, in African-American men in treatment for cocaine dependence, 97–112
Rasile, D., 113–123
Rayens, M. K., 325–333
Reardon, D. C., 61–75
Recent drug use, changes in Millon Clinical Multiaxial Inventory scores among opiate addicts as a function of, 297–309
Reilly, P. M., 161–177
Remley, T. P., Jr., 417–428

Rice, J. C., 97–112
Rich, J. D., 195–205, 481–487
Richard, A. J., 355–367
Richter, L., 263–281
Risk taking, and self-reported injuries associated with substance use by adolescents, 113–123
Roberto, J., 263–281
Rodgers, J. H., 429–442
Rohrbeck, C., 113–123
Rohsenow, D. J., 179–194
Rosen, M. I., 47–59
Royse, D., 283–296
Rozak, A. M., 489–495

S

Sacks, S., 461–480
Salas, C. M., 481–487
Saleem, R., 47–59
Samaranayake, V. A., 659–682
Saxon, A. J., 13–23, 297–309
Scheller-Gilkey, G., 343–353
Schizophrenia, and substance use, 343–353
Schuler, M. E., 1–11
Screening instruments, for alcohol problems, performance in the emergency room, 683–702
Segars, L. B., 139–154
Self-efficacy, and the Addicted-Self Model, 497–521
Seracini, A. M., 25–31
Shea, R. R., 379–398
Shelter-based therapeutic communities, gender, psychopathology, and patterns of homelessness among clients in, 553–567
Shervington, D., 97–112
Shillington, A. M., 139–154
Shopshire, M. S., 161–177
Singha, A. K., 643–657
Sloan, K. L., 13–23
Sobota, M., 195–205
Social workers, and substance-abusing clients, caseload composition and competency self-ratings of, 629–641
Social-cognitive model, of intimate abusiveness among substance-dependent males, 603–628
Sofuoglu, M., 591–602
Sorg, J. D., 417–428
Spirito, A., 113–123
Spontaneous remission, from alcohol, tobacco, and other drug abuse, 443–460
Staines, G., 461–480
Stanton, M. D., 379–398
Stephens, R. C., 229–245
Stein, M. D., 195–205
Subjective response, to smoked cocaine in humans, 591–602
Swofford, C. D., 343–353
Syringes, correlation of high street prices with strict syringe possession laws, 481–487

T

Taylor, K. R., 703–707
Therapeutic communities
  modified, for homeless mentally ill chemical abusers, treatment outcomes for, 461–480
  predictors of treatment outcomes in men and women admitted to, 207–227
  prison based, motivation for treatment in, 33–46
  shelter based, gender, psychopathology, and patterns of homelessness among clients in, 553–567

Thomas, G., 33–46
Tobacco
  smoking and smokeless, determinants of youth use in West Virginia, 125–138
  spontaneous remission from abuse of, 443–460
Towe, C. W., 481–487
Treatment adherence, of HIV-infected methadone patients to antiretroviral therapy, 195–205
Treatment entry
  of injecting drug users, predictors of, 247–261
  use of the ARISE method for mobilizing family and network to engage substance abusers in, 379–398
Treatment motivation, in a prison-based therapeutic community, 33–46
Treatment outcome
  for cocaine abuse, relationship with anxiety levels, 179–194
  for a modified therapeutic community for homeless mentally ill chemical abusers, 461–480
  predictors, in men and women admitted to a therapeutic community, 207–227
Treatment retention
  methadone maintenance, and changes in Millon Clinical Multiaxial Inventory scores among opiate addicts, 297–309
  predictors related to intensive outpatient programs for substance use disorders, 417–428
Treatment-seeking substance abusers, detection of bipolar disorder among, 13–23
Trevino, R. A., 355–367

V

Veach, L. J., 417–428
Venlafaxine, for treatment of cocaine abusers with depressive disorders, 25–31
Vinnick, L., 113–123

W

Wages, the effect of drug use on, 659–682
Walters, G. D., 443–460
Warburton, L. A., 399–416
Wechsberg, W., 283–296
Weiss, R. D., 369–378
Welfare recipients, drug use among, 335–342
Wells, E. A., 297–309
Welte, J. W., 311–324
Westermeyer, J., 523–535
Wexler, H. K., 33–46
Wilhite, A., 659–682
Winther, L. C., 47–59
Wish, E., 207–227
Women
  injection drug users, needle sharing of, 263–281
  substance abusing, effect of environmental risk factor exposure on parenting attitudes of, 1–11
  versus men regarding course, severity, and treatment of substance abuse, 523–535
Woods, S. W., 47–59
Woolwine, B., 343–353
Workers, the effect of drug use on, 659–682

Y

Yagelka, J., 553–567
Youth. *See* Adolescents; College students

Z

Zarkin, G. A., 77–95
Zule, W. A., 247–261